

ATLANTIC

W I N C H E S

Product Guide

- 2021 -



WWW.ATLANTICPRODUCTS.COM.AU



Something to winch about!

Winch Selector Guide

It can be confusing not knowing what type of winch, strap or hook you might need. Introducing our easy-to-use Atlantic Winch Selector Guide. Whether you're pulling in a small or large water vessel or lifting a heavy load – this guide will help choose the correct winch – including bolt-down dimensions for when mounting the winch to your trailer.

We've also refined our entire product range including upgrades to our compact brake winches – now optional with a full-protective cover and stainless-steel parts. There are also two brand new winch models, including our heavy-duty 'car trailer' brake winch. Sporting a stylish black body, this winch has the capacity to incline pull up to 2500kg!

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Winch Selector Guide:

I need
a winch
that pulls:



Jetski's:

SMW005W 3:1 Tinny Winch
4.5m webbing strap / S Hook

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

CMW002W 3:1 Cadet Winch
4.5m webbing strap / S Hook

CMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Small tinny
boats:

SMW005W 3:1 Tinny Winch
4.5m webbing strap / S Hook

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

CMW002W 3:1 Cadet Winch
4.5m webbing strap / S Hook

CMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up
to 14ft:

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

MW202W 3:1 Marine Winch
6m webbing strap / S Hook

MW201R 3:1 Marine Winch
6m x 4mm rope / S Hook

MW212C 3:1 Marine Winch
6m x 4mm cable / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up
to 18ft:

MW204W 5:1 Marine Winch
6m webbing strap / Snap Hook

MW203R 5:1 Marine Winch
6m x 5mm rope / Snap Hook

MW214C 5:1 Marine Winch
6m x 4mm cable / Snap Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up
to 20ft:

MW206W 5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW205R 5:1/1:1 Marine Winch
7.5m x 5mm rope / Snap Hook

MW217C 5:1/1:1 Marine Winch
7.5m x 5mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook



Boats up
to 22ft:

MW208W 10:1/5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW207R 10:1/5:1/1:1 Marine Winch
7.5m x 6mm rope / Snap Hook

MW220C 10:1/5:1/1:1 Marine Winch
7.5m x 6mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook



Boats up
to 25ft:

MW210W 15:1/5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW209R 15:1/5:1/1:1 Marine Winch
7.5m x 7mm rope / Snap Hook

MW223C 15:1/5:1/1:1 Marine Winch
7.5m x 7mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook



Cars up
to 2500kg:

CTW2500R 15:1 Car Trailer Winch
15m x 10mm Atlantic Rope / Snap Hook


I need
a winch
that lifts:



Loads up
to 300kg:

BW230C 5:1 Compact Brake Winch
7.5m x 5mm cable / Snap Hook


BW230C also available with a full
cover, with or without stainless-steel.



Loads up
to 500kg:


BW260C 10:1 Compact Brake Winch
7.5m x 6mm cable / Snap Hook

BW260C also available with a full
cover, with or without stainless-steel.




Loads up
to 725kg:

BW290C 15:1 Compact Brake Winch
8m x 8mm cable / Snap Hook



Loads up
to 750kg:

LBW620NC 8:1 Large Brake Winch
Cable and hook sold separately



Loads up
to 1500kg:

LBW650NC 15:1 Large Brake Winch
Cable and hook sold separately



Loads up
to 1800kg:

LBW680NC 15:1 X-Large Brake Winch
Cable and hook sold separately



For a full list of product specifications,
refer to the inside back cover.



For a full list of winch spare parts,
refer to the inside back cover.

Tinny Winch Series

are available as 3:1 gear ratio
– with load capacity ratings
operating at 300kg using either
a cable or webbing strap.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	PAGE
SMW003C	300kg (660lb)	3:1	6m x 4mm cable	S Hook	—
SMW004NC	300kg (660lb)	3:1	No cable	No hook	—
SMW005W	300kg (660lb)	3:1	4.5m webbing	S Hook	Page 2



300kg (660lb)




**3:1
gear ratio**

Machine-cut gears

Hardened steel bushes

Rust resistant Dacromet finish



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Size doesn't matter.

Cadet Winch Series

These entry-level winches are perfect for those looking for an economical winch with real performance. The range of Cadet Boat Winches are

available in two different gear ratio sizes – 3:1 or 4:1 with load capacity ratings operating from 300kg up to 550kg using a webbing strap.

PRODUCT CODE	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	PAGE
CMW002W	300kg (660lb)	3:1	4.5m Webbing Strap	S Hook	Page 4
SMW007R	300kg (660lb)	3:1	6m x 4mm rope	S Hook	–
CMW005W	550kg (1200lb)	4:1	6m Webbing Strap	S Hook	Page 5
SMW008R	550kg (1200lb)	4:1	6m x 4mm rope	S Hook	–

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Cadet Boat Winch

300kg (660lb)




**3:1
gear ratio**

**Machine-cut
gears**

**Rust resistant
Dacromet finish**

**Available with
Atlantic Rope**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Cadet Boat Winch

550kg (1200lb)






**4:1
gear ratio**

**Machine-cut
gears**

**Rust resistant
Dacromet finish**

**Available with
Atlantic Rope**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Bang for bucks.

Electric Winch Series

These entry-level winches are perfect for people looking for an economically-priced winch that can perform. Our range of Cadet Electric Winches are

available in two different gear ratio sizes with load capacity ratings operating from 900kg up to 1350kg using a 5.5mm cable.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	POWER	PAGE
CEW2000C	900kg (2000lb)	460:1	9m x 4.8mm Cable	Snap Hook	12V / 280w	Page 7
CEW3000C	1350kg (3000lb)	729:1	9m x 5.5mm Cable	Snap Hook	12V / 300w	Page 8

To use our winch selector, refer to the inside front cover.

For a full list of product specifications, refer to the inside back cover.

Electric Marine Winch

900kg (2000lb)





**Power in,
free spool out**


**Suitable for
jetski/tinny's**

**12 volt
280w motor**

**460:1
gear ratio**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Electric Marine Winch

1350kg (3000lb)





**Power in,
power out**

**Suitable for
18-21 ft boats**

**12 volt
300w motor**

**729:1
gear ratio**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Tell that to the Marines.

Marine Winch Series

Our range of Marine Winches are available in five different models with pulling capacity operating from 550kg up to

1500kg. Depending on the application, there's a number of gear ratio speeds with a cable, webbing strap or Atlantic Rope.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	PAGE
MW201R	550kg (1200lb)	3:1	6m x 4mm Rope	S Hook	Page 10
MW202W	550kg (1200lb)	3:1	6m Webbing Strap	S Hook	—
MW212C	550kg (1200lb)	3:1	6m x 4mm Cable	S Hook	—
MW203R	725kg (1600lb)	5:1	6m x 5mm Rope	Snap Hook	Page 11
MW204W	725kg (1600lb)	5:1	6m Webbing Strap	Snap Hook	—
MW214C	725kg (1600lb)	5:1	6m x 4mm Cable	Snap Hook	—
MW205R	775kg (1700lb)	5:1/1:1	7.5m x 5mm Rope	Snap Hook	Page 12
MW206W	775kg (1700lb)	5:1/1:1	7.5m Webbing Strap	Snap Hook	—
MW217C	775kg (1700lb)	5:1/1:1	7.5m x 5mm Cable	Snap Hook	—
MW207R	1135kg (2500lb)	10:1/5:1/1:1	7.5m x 6mm Rope	Snap Hook	Page 13
MW208W	1135kg (2500lb)	10:1/5:1/1:1	7.5m Webbing Strap	Snap Hook	—
MW220C	1135kg (2500lb)	10:1/5:1/1:1	7.5m x 6mm Cable	Snap Hook	—
MW209R	1500kg (3300lb)	15:1/5:1/1:1	7.5m x 7mm Rope	Snap Hook	Page 14
MW210W	1500kg (3300lb)	15:1/5:1/1:1	7.5m Webbing Strap	Snap Hook	—
MW223C	1500kg (3300lb)	15:1/5:1/1:1	7.5m x 7mm Cable	Snap Hook	—

Marine Boat Winch

550kg (1200lb)




**3:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

**Available with Atlantic rope,
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Marine Boat Winch

725kg (1600lb)



**5:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

**Available with Atlantic rope,
webbing strap or cable**



Marine Boat Winch

775kg (1700lb)




**5:1/1:1
gear ratio**

**Machine-cut
gears**


**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

**Available with Atlantic rope,
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Marine Boat Winch

1135kg (2500lb)




**10:1/5:1/1:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

**Available with Atlantic rope,
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Marine Boat Winch

1500kg (3300lb)




**15:1/5:1/1:1
gear ratio**

**Hardened steel bushes
& machine-cut gears**

**Rust resistant
Dacromet finish**

**Available with Atlantic rope,
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Ready for lift off!

Compact Brake Winch Series

Our Compact Brake Winch range are available in 5:1 (300kg), 10:1 (500kg) and 15:1 (725kg). The self actuating

automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	PAGE
BW230C	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	Page 16
BW230C-FC	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	—
BW260C	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	Page 17
BW260C-FC	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	—
BW290C	725kg (1600lb)	15:1	8m x 7mm Cable	Snap Hook	Page 18

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Compact Brake Winch

300kg (660lb)






5:1
gear ratio

Machine-cut
gears

Hardened steel
bushes

Rust resistant
Dacromet finish



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Compact Brake Winch

500kg (1100lb)



**10:1
gear ratio**


**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

ALSO
AVAILABLE IN
STAINLESS
STEEL

Optional
full-cover
winch body




FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Compact Brake Winch

725kg (1600lb)




**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**

NEW



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Steel of the show!

Stainless Steel Winch Series

Our Stainless-steel Compact Brake Winch range is available in the 300kg and 500kg models with a fully enclosed cover.

The 304 Stainless Steel finish is ideal for harsher outdoor environments where corrosion resistance is important.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	PAGE
BW230C-FCSS	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	Page 20
BW260C-FCSS	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	Page 21

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Stainless Steel Brake Winch

300kg (660lb)






5:1
gear ratio

Machine-cut
gears

Hardened steel
bushes

304 Stainless
Steel finish



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Stainless Steel Brake Winch

500kg (1100lb)






**10:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**304 Stainless
Steel finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Larger than life.

Large Brake Winch Series

Our Large Brake Winch range is available in two gear ratio's with lifting capacity operating from 750kg up to 1800kg and pulling capacity up to 2500kg.

The self actuating automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

PRODUCT	CAPACITY	GEAR RATIO	CABLE AND HOOK TYPE	PAGE
LBW620NC	750kg (1650lb)	8:1	Cable and hook sold separately	Page 23
LBW650NC	1500kg (3300lb)	15:1	Cable and hook sold separately	Page 24
LBW650-25X10DS	1500kg (3300lb)	15:1	25m x 10mm Galv Cable with Rated D-Shackle	Page 24
LBW680NC	1800kg (3960lb)	15:1	Cable and hook sold separately	Page 25
CTW2500R	2500kg (5500lb)	15:1	15m x 10mm Rope with Snap Hook	Page 26

To use our winch selector, refer to the inside front cover.

For a full list of product specifications, refer to the inside back cover.



Large Brake Winch

750kg (1650lb)




**8:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Large Brake Winch


1500kg (3300lb)



**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Extra Large Brake Winch

1800kg (3960lb)





**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Car Trailer Brake Winch

2500kg (5500lb)





**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Power-coat finish
to winch body**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Winch Webbing



ATLANTIC
PRODUCTS

4.5 metres

Winch Webbing Strap

Webbing strap with snap hook suitable for Tinny & Jetski trailers.

SNAP HOOK INCLUDED 45MWSNHHK



ATLANTIC
PRODUCTS

4.5 metres

Winch Webbing Strap

Webbing strap with hook suitable for Tinny & Jetski trailers.

300 45MWSHHK

S HOOK INCLUDED



PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY
45MWSHHK	4.5m	S hook	Jetski / Tinny Boat	300kg
6MWSHK	6.0m	S hook	Boats up to 14ft	500kg
45MWSNHHK	4.5m	Snap hook	Jetski / Tinny Boat	400kg
6MWSNHHK	6.0m	Snap hook	Boats up to 18ft	700kg
75MWSNHHK	7.5m	Snap hook	Boats up to 20ft	1000kg

Winch Cable



ATLANTIC
PRODUCTS

7.5 metres x 6mm

Winch Cable

Galvanised Cable with nylon protective coating suitable for boats up to 20 feet.

1000 75MX6MMSNHHK

SNAP HOOK INCLUDED



ATLANTIC
PRODUCTS

6 metres x 4mm

Winch Cable

Galvanised Cable with nylon protective coating suitable for boats up to 14 feet.



500 6MX4MMSHHK

S HOOK INCLUDED



PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY
6MX4MMSHHK	6m x 4mm	S hook	Boats up to 14ft	500kg
6MX4MMSNHHK	6m x 4mm	Snap hook	Boats up to 14ft	700kg
75MX5MMSNHHK	7.5mm x 5mm	Snap hook	Boats up to 18ft	800kg
75MX6MMSNHHK	7.5mm x 6mm	Snap hook	Boats up to 20ft	1000kg
8MX7MMSNHHK	8m x 7mm	Snap hook	Boats up to 25ft	1500kg
25MX10MMDS	25m x 10mm	D-Shackle	For Brake Winch	2500kg

Winch Rope



PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY
AR6MX4MMSHK	6m x 4mm	S hook	Boats up to 14ft	500kg
AR5MX5MMSHK	5m x 5mm	S hook	Boats up to 14ft	500kg
AR7MX6MMSHK	7m x 6mm	S hook	Boats up to 18ft	800kg
AR6MX5MMSNHK	6m x 5mm	Snap hook	Boats up to 20ft	700kg
AR75MX6MMSNHK	7.5m x 6mm	Snap hook	Boats up to 20ft	1000kg
AR75MX7MMSNHK	7.5m x 7mm	Snap hook	Boats up to 22ft	1500kg
AR10MX10MMSNHK	10m x 10mm	Snap hook	Boats up to 25ft	2500kg

Tie-Down Ratchets



PRODUCT	LENGTH	UNITS	BOAT SIZE	CAPACITY
ATL1825	1.8m x 25mm	Pair	Jet Ski / Small Boat	200kg
ATL1825SS	1.8m x 25mm	Pair	Jet Ski / Small Boat	200kg
ATL1550	1.5m x 50mm	Pair	Jet Ski / Small Boat	400kg
ATL1550SS	1.5m x 50mm	Pair	Jet Ski / Small Boat	400kg
ATL4025	4m x 25mm	Single	Jet Ski / Small Boat	200kg
ATL4025SS	4m x 25mm	Single	Jet Ski / Small Boat	200kg
ATL5550	5.5m x 50mm	Single	Over boat straps	400kg
ATL5550SS	5.5m x 50mm	Single	Over boat straps	400kg

Wheel Bearings



PRODUCT	DESCRIPTION	TRAILER AXLES
ATL1690S	Holden LM Bearing set & Grease Seal	39mm round and 40mm square
ATL1688S	Holden LM Bearing set & 2-part Grease Seal	39mm round and 40mm square
ATL1707S	Ford SL Bearing set & Grease Seal	45mm square
ATL1712	Ford SL Bearing set & 2-part Grease Seal	45mm square

Tow Bar Products



PRODUCT	DESCRIPTION
CTB50X62C	3.5T 50mm x 62mm shank Chrome Towball
TBCC	50mm Chrome Tow Ball Cover
TBCB	50mm Black PVC Tow Ball Cover
TBPRC	Tow Bar Locking Pin & R-Clip
SHINPRO	Tow Bar Shin Protector
TRAILER-LOCK	Trailer Lock

Brake Cable Assembly



PRODUCT	DESCRIPTION
ATLBC8M	8m of PVC-coated hot dip galvanised wire, cable adjuster and clamps

D & Bow Shackles



PRODUCT	DESCRIPTION	PACK / QTY	CAPACITY
DS8MM-750	8mm D-Shackle	Retail Pack - 200 per carton	750kg
DS8MM-750B	8mm D-Shackle	Bulk Pack - 300 per carton	750kg
DS10MM-1000	10mm D-Shackle	Retail Pack - 100 per carton	1000kg
DS10MM-1000B	10mm D-Shackle	Bulk Pack - 200 per carton	1000kg
BSHACKLE1000B	10mm Bow Shackle	Bulk Pack - 200 per carton	1000kg
DS11MM-1500	11mm D-Shackle	Retail Pack - 100 per carton	1500kg
DS11MM-1500B	11mm D-Shackle	Bulk Pack - 150 per carton	1500kg
DS13MM-2000	13mm D-Shackle	Retail Pack - 50 per carton	2000kg
DS13MM-2000B	13mm D-Shackle	Bulk Pack - 100 per carton	2000kg

Alloy Mag Wheels & Tyres



X-SERIES

**Ideal with Spare
Wheel Mount**

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING
13X5ALLOYMS165	5 x 4.25 / 5 x 4.50	13 x 5.0	13" 165 / 670kg
14X55ALLOYMS185	5 x 4.25 / 5 x 4.50	14 x 5.5	14" 185 / 850kg

Alloy Mag Wheels & Tyres



T-SERIES

**Ideal with Spare
Wheel Mount**

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING
13X5ALLOYHT165T	5 x 4.25	13 x 5.0	13" 165 / 670kg
14X6ALLOYHT_185T	5 x 4.25	14 x 6.0	14" 185 / 850kg

Alloy Mag Wheels & Tyres



PREDATOR

Ideal with Spare
Wheel Mount

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING
13X5ALLOYHT_155MF	5 x 4.25	13 x 5.0	13" 155 / 600kg
13X5ALLOYHT_165MF	5 x 4.25	13 x 5.0	13" 165 / 670kg
13X5ALLOYFD_165MF	5 x 4.50	13 x 5.0	13" 165 / 670kg
14X55ALLOYHT_185MF	5 x 4.25	14 x 5.5	14" 185 / 850kg
14X55ALLOYFD_185MF	5 x 4.50	14 x 5.5	14" 185 / 850kg
14X55ALLOYFD_195MF	5 x 4.50	14 x 5.5	14" 195 / 950kg
14X55ALLOYFD_215MF	5 x 4.50	14 x 5.5	14" 215 / 1120kg

Galvanised Wheels & Tyres



GALVANISED

Ideal with Spare
Wheel Mount

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING
10X5TWPMs	5 x 4.25 / 5 x 4.50	10 x 5.0	10" x 5
13X155TWPMs	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 155 / 600kg
13X165TWPMs-437	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 165 / 437kg
13X165TWPMs	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 165 / 670kg
13X175TWPMs	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 175 / 730kg
14X185TWPMs	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 175 / 730kg

Spare Wheel Mount - Small



PRODUCT	DESCRIPTION	WHEEL SIZE
SWMSM	Suit Ford & HT Holden	13" & 14"

Spare Wheel Mount - Large



PRODUCT	DESCRIPTION	WHEEL SIZE
SWMLG	Suit Ford, HT Holden & Landcruiser	13", 14" & 15"



Winch Specifications

PRODUCT CODE	SMW003C	SMW005W	CMW002W	CMW005W	CEW2000C	CEW3000C	MW201R	MW202W	MW212C	MW203R	MW204W	MW214C	MW205R	MW206W	MW217C	MW207R	MW208W	MW220C
GEAR RATIO	3:1	3:1	3:1	4:1	460:1	729:1	3:1	3:1	3:1	5:1	5:1	5:1	5:1/1:1	5:1/1:1	5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1
CABLE/WEBBING/ROPE TYPE	Cable	Webbing Strap	Webbing Strap	Webbing Strap	Cable	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable
HOOK TYPE	S Hook	S Hook	S Hook	S Hook	Snap Hook	Snap Hook	S Hook	S Hook	S Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook
APPLICATION (VESSEL TYPE)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)
CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH)	6m x 4mm –	4.5m –	4.5m –	6m –	9m x 4.8mm –	9m x 5.5m –	6m x 4mm (34.5m x 4mm)	6m (8.5m)	6m x 4mm (34.5m x 4mm)	6m x 5mm (20m x 5mm)	6m (8.5m)	6m x 4mm (20m x 4mm)	7.5m x 5mm (20m x 5mm)	7.5m (8.5m)	7.5m x 5mm (20m x 5mm)	7.5m x 6mm (9.5m x 6mm)	7.5m (8.5m)	7.5m x 6mm (9.5m x 6mm)
CAPACITY	300kg (660lb)	300kg (660lb)	300kg (660lb)	550kg (1200lb)	900kg (2000lb)	1350kg (3000lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)	1135kg (2500lb)	1135kg (2500lb)	1135kg (2500lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Lever Action	Lever Action	Gearshift	Gearshift	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	2.52kg	2.3kg	2.4kg	3.0kg	10.8kg	10.8kg	4.12kg	4.33kg	4.44kg	4.33kg	4.55kg	4.9kg	4.55kg	4.86kg	5.24kg	5.15kg	5.39kg	5.98kg
TOTAL DIMENSIONS (W X H X D)	272 x 250 x 145.5	272 x 250 x 145.5	257 x 120 x 155	254 x 144 x 193	241 x 191 x 254	241 x 191 x 254	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5
BARCODE NUMBER	9337451000015	9337451000008	9337451000862	9 34751000879	9337451001692	9337451001708	9337451000725	9337451000046	9337451000091	9337451000732	9337451000053	9337451000107	9337451000749	9337451000060	9337451000114	9337451000756	9337451000077	9337451000121

PRODUCT CODE	MW209R	MW210W	MW223C	CTW2500R	BW230C	BW230C-FC	BW230C-FCSS	BW240NC	BW260C	BW260C-FC	BW260C-FCSS	BW280NC	BW290C	LBW620NC	LBW650NC	LBW680NC
GEAR RATIO	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1	15:1	5:1	5:1	5:1	5:1	10:1	10:1	10:1	10:1	15:1	8:1	15:1	15:1
CABLE/WEBBING/ROPE TYPE	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Cable	Cable	Cable	–	Cable	Cable	Cable	–	Cable	–	–	–
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	–	Snap Hook	Snap Hook	Snap Hook	–	Snap Hook	–	–	–
APPLICATION	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Car Trailer)	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH)	7.5m x 7mm (10m x 7mm)	7.5m (8.0m)	7.5m x 7mm (9.5m x 7mm)	15m x 10mm (45m x 6mm)	7.5m x 5mm (20m x 5mm)	7.5m x 5mm (20m x 5mm)	7.5m x 5mm (20m x 5mm)	– (20m x 5mm)	7.5m x 6mm (9.5mm x 6mm)	7.5m x 6mm (9.5mm x 6mm)	7.5m x 6mm (9.5mm x 6mm)	– (9.5mm x 6mm)	8m x 8mm –	– (45m x 6mm)	– (45m x 6mm)	– (125m x 6mm)
CAPACITY	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)	2500kg (5500lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)	725kg (1600lb)	750kg (1650lb)	1500kg (3300lb)	1800kg (3960lb)
ULTIMATE BRAKING LOAD	–	–	–	7176kg	1479kg	1479kg	1479kg	–	1948kg	1948kg	1948kg	–	3503kg	5690kg	7176kg	8157kg
ULTIMATE TENSILE STRESS	–	–	–	70.38kN	14.5kN	14.5kN	14.5kN	–	19.1kN	19.1kN	19.1kN	–	34.25kN	55.8kN	70.38kN	80.0kN
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating
UNIT WEIGHT	6.5kg	6.9kg	7.3kg	26.0kg	5.56kg	5.56kg	5.56kg	4.58kg	6.09kg	6.09kg	6.09kg	4.90kg	10.5kg	22.8kg	24.0kg	30.0kg
TOTAL DIMENSIONS (W X H X D)	304 x 244.7 x 234.5	304 x 244.7 x 234.5	304 x 244.7 x 234.5	413 x 267 x 234	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 265.5 x 251.5	413 x 267 x 234	413 x 267 x 234	572 x 450 x 280
BARCODE NUMBER	9337451000763	9337451000084	9337451000336	9337451004075	9337451000299	9337451003672	9337451003757	9337451000343	9337451000305	9337451003696	9337451003764	9337451003350	933745103771	9337451000312	9337451000329	9337451000770



**Atlantic Products are 100% Australian owned
and operate from their corporate headquarters
based in Adelaide, South Australia.**

Stocked by leading distributors around Australia
and overseas, Atlantic Products manufactures
and distributes a range of winches, wheels and
trailer accessories for the marine, agricultural,
mining and construction industries.

Due to their rapid expansion, Atlantic Products
has positioned warehouse facilities in all key
cities of Australia; plus Shanghai and Hong Kong
for faster lead times to key markets in Europe,
Africa and the USA.



FOR ALL SALES & ENQUIRIES:

Free call 1300 214 049

Email info@atlanticproducts.com.au

www.atlanticproducts.com.au

Please note all information contained in this document is correct at time of printing.
Atlantic Products reserves the right to modify any information without prior notice.

© 2021 Atlantic Products Pty Ltd. DAL6359/2021

Atlantic Products are industry members with:

