

# ATLANTIC

W I N C H E S

## Winch Catalogue



[WWW.ATLANTICPRODUCTS.COM.AU](http://WWW.ATLANTICPRODUCTS.COM.AU)



# Something to winch about!

## Winch Selector Guide

It can be confusing not knowing what type of winch, strap or hook you might need. Introducing our easy-to-use Atlantic Winch Selector Guide. Whether you're pulling in a small or large water vessel or lifting a heavy load – this guide will help choose the correct winch – including boltdown dimensions for when mounting the winch to your trailer.

We've also refined our entire product range including upgrades to our compact brake winches – now optional with a full-protective cover and stainless-steel parts. There are also two brand new winch models, including our heavy-duty 'car trailer' brake winch. Sporting a stylish black body, this winch has the capacity to incline pull up to 2500kg!



To use our winch selector, refer to the inside front cover.



For a full list of product specifications, refer to the inside back cover.

Winch Selector Guide:

I need  
a winch  
that pulls:



Jetski's:

**SMW005W** 3:1 Tinny Winch  
4.5m webbing strap / S Hook

**SMW007R** 3:1 Cadet Winch  
6m x 4mm rope / S Hook

**SMW008R** 4:1 Cadet Winch  
6m x 4mm rope / S Hook

**CMW002W** 3:1 Cadet Winch  
4.5m webbing strap / S Hook

**CMW005W** 4:1 Cadet Winch  
6m webbing strap / S Hook

**CEW2000C** 460:1 Electric Winch  
9m x 4.8mm cable / Snap Hook



Small tinny  
boats:

**SMW005W** 3:1 Tinny Winch  
4.5m webbing strap / S Hook

**SMW007R** 3:1 Cadet Winch  
6m x 4mm rope / S Hook

**SMW008R** 4:1 Cadet Winch  
6m x 4mm rope / S Hook

**CMW002W** 3:1 Cadet Winch  
4.5m webbing strap / S Hook

**CMW005W** 4:1 Cadet Winch  
6m webbing strap / S Hook

**CEW2000C** 460:1 Electric Winch  
9m x 4.8mm cable / Snap Hook



Boats up  
to 14ft:

**SMW007R** 3:1 Cadet Winch  
6m x 4mm rope / S Hook

**SMW008R** 4:1 Cadet Winch  
6m x 4mm rope / S Hook

**MW202W** 3:1 Marine Winch  
6m webbing strap / S Hook

**MW201R** 3:1 Marine Winch  
6m x 4mm rope / S Hook

**MW212C** 3:1 Marine Winch  
6m x 4mm cable / S Hook

**CEW2000C** 460:1 Electric Winch  
9m x 4.8mm cable / Snap Hook



Boats up  
to 18ft:

**MW204W** 5:1 Marine Winch  
6m webbing strap / Snap Hook

**MW203R** 5:1 Marine Winch  
6m x 5mm rope / Snap Hook

**MW214C** 5:1 Marine Winch  
6m x 4mm cable / Snap Hook

**CEW2000C** 460:1 Electric Winch  
9m x 4.8mm cable / Snap Hook



Boats up  
to 20ft:

**MW206W** 5:1/1:1 Marine Winch  
7.5m webbing strap / Snap Hook

**MW205R** 5:1/1:1 Marine Winch  
7.5m x 5mm rope / Snap Hook

**MW217C** 5:1/1:1 Marine Winch  
7.5m x 5mm cable / Snap Hook

**CEW3000C** 729:1 Electric Winch  
9m x 5.5mm cable / Snap Hook



Boats up  
to 22ft:

**MW208W** 10:1/5:1/1:1 Marine Winch  
7.5m webbing strap / Snap Hook

**MW207R** 10:1/5:1/1:1 Marine Winch  
7.5m x 6mm rope / Snap Hook

**MW220C** 10:1/5:1/1:1 Marine Winch  
7.5m x 6mm cable / Snap Hook

**CEW3000C** 729:1 Electric Winch  
9m x 5.5mm cable / Snap Hook



Boats up  
to 25ft:

**MW210W** 15:1/5:1/1:1 Marine Winch  
7.5m webbing strap / Snap Hook

**MW209R** 15:1/5:1/1:1 Marine Winch  
7.5m x 7mm rope / Snap Hook

**MW223C** 15:1/5:1/1:1 Marine Winch  
7.5m x 7mm cable / Snap Hook

**CEW3000C** 729:1 Electric Winch  
9m x 5.5mm cable / Snap Hook



Cars up  
to 2500kg:

**CTW2500R** 15:1 Car Trailer Winch  
15m x 10mm Atlantic Rope / Snap Hook

I need  
a winch  
that lifts:



Loads up  
to 300kg:

**BW230C** 5:1 Compact Brake Winch  
7.5m x 5mm cable / Snap Hook


BW230C also available with a full  
cover, with or without stainless-steel.



Loads up  
to 500kg:

**BW260C** 10:1 Compact Brake Winch  
7.5m x 6mm cable / Snap Hook

BW260C also available with a full  
cover, with or without stainless-steel.




Loads up  
to 725kg:

**BW290C** 15:1 Compact Brake Winch  
8m x 8mm cable / Snap Hook



Loads up  
to 750kg:

**LBW620NC** 8:1 Large Brake Winch  
Cable and hook sold separately



Loads up  
to 1500kg:

**LBW650NC** 15:1 Large Brake Winch  
Cable and hook sold separately



Loads up  
to 1800kg:

**LBW680NC** 15:1 X-Large Brake Winch  
Cable and hook sold separately



For a full list of product specifications,  
refer to the inside back cover.



For a full list of winch spare parts,  
refer to the inside back cover.

# Small but strong.

## Tinny Winch Series

Suitable for pulling either a small Tinny Boat trailer or a larger Jet Ski trailer, the Atlantic range of tinny winches

are available as 3:1 gear ratio – with load capacity ratings operating at 300kg using either a cable or webbing strap.

| PRODUCT  | CAPACITY      | GEAR RATIO | CABLE TYPE     | HOOK TYPE | PAGE   |
|----------|---------------|------------|----------------|-----------|--------|
| SMW003C  | 300kg (660lb) | 3:1        | 6m x 4mm cable | S Hook    | –      |
| SMW004NC | 300kg (660lb) | 3:1        | No cable       | No hook   | –      |
| SMW005W  | 300kg (660lb) | 3:1        | 4.5m webbing   | S Hook    | Page 2 |

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

# Tinny Boat Winch

## 300kg (660lb)




**3:1  
gear ratio**

**Machine-cut  
gears**

**Hardened  
steel bushes**

**Rust resistant  
Dacromet finish**



# Size doesn't matter.

## Cadet Winch Series

These entry-level winches are perfect for those looking for an economical winch with real performance. The range of Cadet Boat Winches are

available in two different gear ratio sizes – 3:1 or 4:1 with load capacity ratings operating from 300kg up to 550kg using a webbing strap.

| PRODUCT CODE | CAPACITY       | GEAR RATIO | CABLE TYPE         | HOOK TYPE | PAGE   |
|--------------|----------------|------------|--------------------|-----------|--------|
| CMW002W      | 300kg (660lb)  | 3:1        | 4.5m Webbing Strap | S Hook    | Page 4 |
| SMW007R      | 300kg (660lb)  | 3:1        | 6m x 4mm rope      | S Hook    | —      |
| CMW005W      | 550kg (1200lb) | 4:1        | 6m Webbing Strap   | S Hook    | Page 5 |
| SMW008R      | 550kg (1200lb) | 4:1        | 6m x 4mm rope      | S Hook    | —      |

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

# Cadet Boat Winch

## 300kg (660lb)




**3:1  
gear ratio**

**Machine-cut  
gears**

**Rust resistant  
Dacromet finish**

**Available with  
Atlantic Rope**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Cadet Boat Winch

## 550kg (1200lb)






**4:1  
gear ratio**

**Machine-cut  
gears**

**Rust resistant  
Dacromet finish**

**Available with  
Atlantic Rope**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Bang for bucks.

## Electric Winch Series

These entry-level winches are perfect for people looking for an economically-priced winch that can perform. Our range of Cadet Electric Winches are

available in two different gear ratio sizes with load capacity ratings operating from 900kg up to 1350kg using a 5.5mm cable.

| PRODUCT  | CAPACITY        | GEAR RATIO | CABLE TYPE       | HOOK TYPE | POWER      | PAGE   |
|----------|-----------------|------------|------------------|-----------|------------|--------|
| CEW2000C | 900kg (2000lb)  | 460:1      | 9m x 4.8mm Cable | Snap Hook | 12V / 280w | Page 7 |
| CEW3000C | 1350kg (3000lb) | 729:1      | 9m x 5.5mm Cable | Snap Hook | 12V / 300w | Page 8 |

To use our winch selector, refer to the inside front cover.

For a full list of product specifications, refer to the inside back cover.

# Electric Marine Winch

## 900kg (2000lb)





**Power in,  
free spool out**


**Suitable for  
jetski/tinny's**

**12 volt  
280w motor**

**460:1  
gear ratio**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Electric Marine Winch

## 1350kg (3000lb)





**Power in,  
power out**

**Suitable for  
18-21 ft boats**

**12 volt  
300w motor**

**729:1  
gear ratio**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Tell that to the Marines.

## Marine Winch Series

Our range of Marine Winches are available in five different models with pulling capacity operating from 550kg up to

1500kg. Depending on the application, there's a number of gear ratio speeds with a cable, webbing strap or Atlantic Rope.

| PRODUCT | CAPACITY        | GEAR RATIO   | CABLE TYPE         | HOOK TYPE | PAGE    |
|---------|-----------------|--------------|--------------------|-----------|---------|
| MW201R  | 550kg (1200lb)  | 3:1          | 6m x 4mm Rope      | S Hook    | Page 10 |
| MW202W  | 550kg (1200lb)  | 3:1          | 6m Webbing Strap   | S Hook    | —       |
| MW212C  | 550kg (1200lb)  | 3:1          | 6m x 4mm Cable     | S Hook    | —       |
| MW203R  | 725kg (1600lb)  | 5:1          | 6m x 5mm Rope      | Snap Hook | Page 11 |
| MW204W  | 725kg (1600lb)  | 5:1          | 6m Webbing Strap   | Snap Hook | —       |
| MW214C  | 725kg (1600lb)  | 5:1          | 6m x 4mm Cable     | Snap Hook | —       |
| MW205R  | 775kg (1700lb)  | 5:1/1:1      | 7.5m x 5mm Rope    | Snap Hook | Page 12 |
| MW206W  | 775kg (1700lb)  | 5:1/1:1      | 7.5m Webbing Strap | Snap Hook | —       |
| MW217C  | 775kg (1700lb)  | 5:1/1:1      | 7.5m x 5mm Cable   | Snap Hook | —       |
| MW207R  | 1135kg (2500lb) | 10:1/5:1/1:1 | 7.5m x 6mm Rope    | Snap Hook | Page 13 |
| MW208W  | 1135kg (2500lb) | 10:1/5:1/1:1 | 7.5m Webbing Strap | Snap Hook | —       |
| MW220C  | 1135kg (2500lb) | 10:1/5:1/1:1 | 7.5m x 6mm Cable   | Snap Hook | —       |
| MW209R  | 1500kg (3300lb) | 15:1/5:1/1:1 | 7.5m x 7mm Rope    | Snap Hook | Page 14 |
| MW210W  | 1500kg (3300lb) | 15:1/5:1/1:1 | 7.5m Webbing Strap | Snap Hook | —       |
| MW223C  | 1500kg (3300lb) | 15:1/5:1/1:1 | 7.5m x 7mm Cable   | Snap Hook | —       |

# Marine Boat Winch

## 550kg (1200lb)




**3:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

**Available with Atlantic rope,  
webbing strap or cable**



# Marine Boat Winch

## 725kg (1600lb)



**5:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

**Available with Atlantic rope,  
webbing strap or cable**



# Marine Boat Winch

## 775kg (1700lb)




**5:1/1:1  
gear ratio**

**Machine-cut  
gears**


**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

**Available with Atlantic rope,  
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Marine Boat Winch

**1135kg (2500lb)**




**10:1/5:1/1:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

**Available with Atlantic rope,  
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Marine Boat Winch

**1500kg (3300lb)**




**15:1/5:1/1:1  
gear ratio**

**Hardened steel bushes  
& machine-cut gears**

**Rust resistant  
Dacromet finish**

**Available with Atlantic rope,  
webbing strap or cable**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Ready for lift off!

## Compact Brake Winch Series

Our Compact Brake Winch range are available in 5:1 (300kg), 10:1 (500kg) and 15:1 (725kg). The self actuating

automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

| PRODUCT   | CAPACITY       | GEAR RATIO | CABLE TYPE       | HOOK TYPE | PAGE    |
|-----------|----------------|------------|------------------|-----------|---------|
| BW230C    | 300kg (660lb)  | 5:1        | 7.5m x 5mm Cable | Snap Hook | Page 16 |
| BW230C-FC | 300kg (660lb)  | 5:1        | 7.5m x 5mm Cable | Snap Hook | —       |
| BW260C    | 500kg (1100lb) | 10:1       | 7.5m x 6mm Cable | Snap Hook | Page 17 |
| BW260C-FC | 500kg (1100lb) | 10:1       | 7.5m x 6mm Cable | Snap Hook | —       |
| BW290C    | 725kg (1600lb) | 15:1       | 8m x 7mm Cable   | Snap Hook | Page 18 |

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

# Compact Brake Winch

## 300kg (660lb)






**5:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Compact Brake Winch

## 500kg (1100lb)



**10:1  
gear ratio**


**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

ALSO  
AVAILABLE IN  
STAINLESS  
STEEL

Optional  
full-cover  
winch body



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Compact Brake Winch

## 725kg (1600lb)






**15:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**

NEW



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Steel of the show!

## Stainless Steel Winch Series

Our Stainless-steel Compact Brake Winch range is available in the 300kg and 500kg models with a fully enclosed cover.

The 304 Stainless Steel finish is ideal for harsher outdoor environments where corrosion resistance is important.

| PRODUCT     | CAPACITY       | GEAR RATIO | CABLE TYPE       | HOOK TYPE | PAGE    |
|-------------|----------------|------------|------------------|-----------|---------|
| BW230C-FCSS | 300kg (660lb)  | 5:1        | 7.5m x 5mm Cable | Snap Hook | Page 20 |
| BW260C-FCSS | 500kg (1100lb) | 10:1       | 7.5m x 6mm Cable | Snap Hook | Page 21 |

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

# Stainless Steel Brake Winch

## 300kg (660lb)




**5:1**  
gear ratio

**Machine-cut**  
gears

**Hardened steel**  
bushes

**304 Stainless**  
Steel finish



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Stainless Steel Brake Winch

500kg (1100lb)




**10:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**304 Stainless  
Steel finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



# Larger than life.

## Large Brake Winch Series

Our Large Brake Winch range is available in two gear ratio's with lifting capacity operating from 750kg up to 1800kg and pulling capacity up to 2500kg.

The self actuating automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

| PRODUCT        | CAPACITY        | GEAR RATIO | CABLE AND HOOK TYPE                        | PAGE    |
|----------------|-----------------|------------|--------------------------------------------|---------|
| LBW620NC       | 750kg (1650lb)  | 8:1        | Cable and hook sold separately             | Page 23 |
| LBW650NC       | 1500kg (3300lb) | 15:1       | Cable and hook sold separately             | Page 24 |
| LBW650-25X10DS | 1500kg (3300lb) | 15:1       | 25m x 10mm Galv Cable with Rated D-Shackle | Page 24 |
| LBW680NC       | 1800kg (3960lb) | 15:1       | Cable and hook sold separately             | Page 25 |
| CTW2500R       | 2500kg (5500lb) | 15:1       | 15m x 10mm Rope with Snap Hook             | Page 26 |

To use our winch selector, refer to the inside front cover.

For a full list of product specifications, refer to the inside back cover.



# Large Brake Winch

## 750kg (1650lb)




**8:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Large Brake Winch


## 1500kg (3300lb)



**15:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Extra Large Brake Winch

**1800kg (3960lb)**




**15:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Rust resistant  
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Car Trailer Brake Winch

**2500kg (5500lb)**




**15:1  
gear ratio**

**Machine-cut  
gears**

**Hardened steel  
bushes**

**Power-coat finish  
to winch body**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

# Winch Webbing



**ATLANTIC PRODUCTS**  
**Winch Webbing Strap**  
4.5 metres  
Webbing strap with snap hook suitable for Tinny & Jetski trailers.  
SNAP HOOK INCLUDED 45MWSNHHK



**ATLANTIC PRODUCTS**  
**Winch Webbing Strap**  
4.5 metres  
Webbing strap with hook suitable for Tinny & Jetski trailers.  
300 LBS CAPACITY S HOOK INCLUDED 45MWSHK



| PRODUCT   | LENGTH | HOOK TYPE | BOAT SIZE           | CAPACITY |
|-----------|--------|-----------|---------------------|----------|
| 45MWSHK   | 4.5m   | S hook    | Jetski / Tinny Boat | 300kg    |
| 6MWSHK    | 6.0m   | S hook    | Boats up to 14ft    | 500kg    |
| 45MWSNHHK | 4.5m   | Snap hook | Jetski / Tinny Boat | 400kg    |
| 6MWSNHHK  | 6.0m   | Snap hook | Boats up to 18ft    | 700kg    |
| 75MWSNHHK | 7.5m   | Snap hook | Boats up to 20ft    | 1000kg   |

# Winch Cable



**ATLANTIC PRODUCTS**  
**Winch Cable**  
7.5 metres x 6mm  
Galvanised Cable with nylon protective coating suitable for boats up to 20 feet.  
1000 LBS CAPACITY SNAP HOOK INCLUDED 75MX6MMSNHHK



**ATLANTIC PRODUCTS**  
**Winch Cable**  
6 metres x 4mm  
Galvanised Cable with nylon protective coating suitable for boats up to 14 feet.  
500 LBS CAPACITY S HOOK INCLUDED 6MX4MMSHK



| PRODUCT      | LENGTH      | HOOK TYPE | BOAT SIZE        | CAPACITY |
|--------------|-------------|-----------|------------------|----------|
| 6MX4MMSHK    | 6m x 4mm    | S hook    | Boats up to 14ft | 500kg    |
| 6MX4MMSNHHK  | 6m x 4mm    | Snap hook | Boats up to 14ft | 700kg    |
| 75MX5MMSNHHK | 7.5mm x 5mm | Snap hook | Boats up to 18ft | 800kg    |
| 75MX6MMSNHHK | 7.5mm x 6mm | Snap hook | Boats up to 20ft | 1000kg   |
| 8MX7MMSNHHK  | 8m x 7mm    | Snap hook | Boats up to 25ft | 1500kg   |
| 25MX10MMDS   | 25m x 10mm  | D-Shackle | For Brake Winch  | 2500kg   |

# ATLANTIC

## WINCHES

# Winch Rope



JETSKI



TINNY BOAT



BOAT UP TO 14FT



BOAT UP TO 18FT



BOAT UP TO 20FT



BOAT UP TO 22FT

ATLANTIC  
PRODUCTS

6 metres x 5mm

## Atlantic Winch Rope

Lightweight, kink free, UV resistant  
and stronger than steel cable.

~700~

SNAP HOOK INCLUDED

AR6MX5MMSNHK



ATLANTIC  
PRODUCTS

6 metres x 4mm

## Atlantic Winch Rope

Lightweight, kink free, UV resistant  
and stronger than steel cable.

~500~

S HOOK INCLUDED

AR6MX4MMSHK



PRODUCT

LENGTH

HOOK TYPE

BOAT SIZE

CAPACITY

AR6MX4MMSHK

6m x 4mm

S hook

Boats up to 14ft

500kg

AR5MX5MMSHK

5m x 5mm

S hook

Boats up to 14ft

500kg

AR7MX6MMSHK

7m x 6mm

S hook

Boats up to 18ft

800kg

AR6MX5MMSNHK

6m x 5mm

Snap hook

Boats up to 20ft

700kg

AR75MX6MMSNHK

7.5m x 6mm

Snap hook

Boats up to 20ft

1000kg

AR75MX7MMSNHK

7.5m x 7mm

Snap hook

Boats up to 22ft

1500kg

AR10MX10MMSNHK

10m x 10mm

Snap hook

Boats up to 25ft

2500kg





# Winch Specifications

| PRODUCT CODE                               | SMW003C                     | SMW005W                     | CMW002W                     | CMW005W                     | CEW2000C                    | CEW3000C                    | MW201R                      | MW202W                      | MW212C                      | MW203R                      | MW204W                      | MW214C                      | MW205R                      | MW206W                      | MW217C                      | MW207R                      | MW208W                      | MW220C                      |
|--------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| GEAR RATIO                                 | 3:1                         | 3:1                         | 3:1                         | 4:1                         | 460:1                       | 729:1                       | 3:1                         | 3:1                         | 3:1                         | 5:1                         | 5:1                         | 5:1                         | 5:1/1:1                     | 5:1/1:1                     | 5:1/1:1                     | 10:1/5:1/1:1                | 10:1/5:1/1:1                | 10:1/5:1/1:1                |
| CABLE/WEBBING/ROPE TYPE                    | Cable                       | Webbing Strap               | Webbing Strap               | Webbing Strap               | Cable                       | Cable                       | Atlantic Rope               | Webbing Strap               | Cable                       | Atlantic Rope               | Webbing Strap               | Cable                       | Atlantic Rope               | Webbing Strap               | Cable                       | Atlantic Rope               | Webbing Strap               | Cable                       |
| HOOK TYPE                                  | S Hook                      | S Hook                      | S Hook                      | S Hook                      | Snap Hook                   | Snap Hook                   | S Hook                      | S Hook                      | S Hook                      | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                   |
| APPLICATION (VESSEL TYPE)                  | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) |
| CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH) | 6m x 4mm –                  | 4.5m –                      | 4.5m –                      | 6m –                        | 9m x 4.8mm –                | 9m x 5.5m –                 | 6m x 4mm (34.5m x 4mm)      | 6m (8.5m)                   | 6m x 4mm (34.5m x 4mm)      | 6m x 5mm (20m x 5mm)        | 6m (8.5m)                   | 6m x 4mm (20m x 4mm)        | 7.5m x 5mm (20m x 5mm)      | 7.5m (8.5m)                 | 7.5m x 5mm (20m x 5mm)      | 7.5m x 6mm (9.5m x 6mm)     | 7.5m (8.5m)                 | 7.5m x 6mm (9.5m x 6mm)     |
| CAPACITY                                   | 300kg (660lb)               | 300kg (660lb)               | 300kg (660lb)               | 550kg (1200lb)              | 900kg (2000lb)              | 1350kg (3000lb)             | 550kg (1200lb)              | 550kg (1200lb)              | 550kg (1200lb)              | 725kg (1600lb)              | 725kg (1600lb)              | 725kg (1600lb)              | 775kg (1700lb)              | 775kg (1700lb)              | 775kg (1700lb)              | 1135kg (2500lb)             | 1135kg (2500lb)             | 1135kg (2500lb)             |
| RATCHET TYPE                               | Pawl Lever                  | Pawl Lever                  | Lever Action                | Lever Action                | Gearshift                   | Gearshift                   | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  |
| UNIT WEIGHT                                | 2.52kg                      | 2.3kg                       | 2.4kg                       | 3.0kg                       | 10.8kg                      | 10.8kg                      | 4.12kg                      | 4.33kg                      | 4.44kg                      | 4.33kg                      | 4.55kg                      | 4.9kg                       | 4.55kg                      | 4.86kg                      | 5.24kg                      | 5.15kg                      | 5.39kg                      | 5.98kg                      |
| TOTAL DIMENSIONS (W X H X D)               | 272 x 250 x 145.5           | 272 x 250 x 145.5           | 257 x 120 x 155             | 254 x 144 x 193             | 241 x 191 x 254             | 241 x 191 x 254             | 304 x 248 x 191             | 304 x 248 x 191             | 304 x 248 x 191             | 304.5 x 248 x 188           | 304.5 x 248 x 188           | 304.5 x 248 x 188           | 319 x 248 x 190.5           | 319 x 248 x 190.5           | 319 x 248 x 190.5           | 312 x 252 x 190.5           | 312 x 252 x 190.5           | 312 x 252 x 190.5           |
| BARCODE NUMBER                             | 9337451000015               | 9337451000008               | 9337451000862               | 9 34751000879               | 9337451001692               | 9337451001708               | 9337451000725               | 9337451000046               | 9337451000091               | 9337451000732               | 9337451000053               | 9337451000107               | 9337451000749               | 9337451000060               | 9337451000114               | 9337451000756               | 9337451000077               | 9337451000121               |

| PRODUCT CODE                               | MW209R                      | MW210W                      | MW223C                      | CTW2500R                   | BW230C                 | BW230C-FC              | BW230C-FCSS            | BW240NC           | BW260C                   | BW260C-FC                | BW260C-FCSS              | BW280NC           | BW290C              | LBW620NC        | LBW650NC        | LBW680NC        |
|--------------------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|------------------------|------------------------|------------------------|-------------------|--------------------------|--------------------------|--------------------------|-------------------|---------------------|-----------------|-----------------|-----------------|
| GEAR RATIO                                 | 15:1/5:1/1:1                | 15:1/5:1/1:1                | 15:1/5:1/1:1                | 15:1                       | 5:1                    | 5:1                    | 5:1                    | 5:1               | 10:1                     | 10:1                     | 10:1                     | 10:1              | 15:1                | 8:1             | 15:1            | 15:1            |
| CABLE/WEBBING/ROPE TYPE                    | Atlantic Rope               | Webbing Strap               | Cable                       | Atlantic Rope              | Cable                  | Cable                  | Cable                  | –                 | Cable                    | Cable                    | Cable                    | –                 | Cable               | –               | –               | –               |
| HOOK TYPE                                  | Snap Hook                   | Snap Hook                   | Snap Hook                   | Snap Hook                  | Snap Hook              | Snap Hook              | Snap Hook              | –                 | Snap Hook                | Snap Hook                | Snap Hook                | –                 | Snap Hook           | –               | –               | –               |
| APPLICATION                                | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Boat Trailer) | Incline Pull (Car Trailer) | Direct Lift            | Direct Lift            | Direct Lift            | Direct Lift       | Direct Lift              | Direct Lift              | Direct Lift              | Direct Lift       | Direct Lift         | Direct Lift     | Direct Lift     | Direct Lift     |
| CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH) | 7.5m x 7mm (10m x 7mm)      | 7.5m (8.0m)                 | 7.5m x 7mm (9.5m x 7mm)     | 15m x 10mm (45m x 6mm)     | 7.5m x 5mm (20m x 5mm) | 7.5m x 5mm (20m x 5mm) | 7.5m x 5mm (20m x 5mm) | – (20m x 5mm)     | 7.5m x 6mm (9.5mm x 6mm) | 7.5m x 6mm (9.5mm x 6mm) | 7.5m x 6mm (9.5mm x 6mm) | – (9.5mm x 6mm)   | 8m x 8mm –          | – (45m x 6mm)   | – (45m x 6mm)   | – (125m x 6mm)  |
| CAPACITY                                   | 1500kg (3300lb)             | 1500kg (3300lb)             | 1500kg (3300lb)             | 2500kg (5500lb)            | 300kg (660lb)          | 300kg (660lb)          | 300kg (660lb)          | 300kg (660lb)     | 500kg (1100lb)           | 500kg (1100lb)           | 500kg (1100lb)           | 500kg (1100lb)    | 725kg (1600lb)      | 750kg (1650lb)  | 1500kg (3300lb) | 1800kg (3960lb) |
| ULTIMATE BRAKING LOAD                      | –                           | –                           | –                           | 7176kg                     | 1479kg                 | 1479kg                 | 1479kg                 | –                 | 1948kg                   | 1948kg                   | 1948kg                   | –                 | 3503kg              | 5690kg          | 7176kg          | 8157kg          |
| ULTIMATE TENSILE STRESS                    | –                           | –                           | –                           | 70.38kN                    | 14.5kN                 | 14.5kN                 | 14.5kN                 | –                 | 19.1kN                   | 19.1kN                   | 19.1kN                   | –                 | 34.25kN             | 55.8kN          | 70.38kN         | 80.0kN          |
| RATCHET TYPE                               | Pawl Lever                  | Pawl Lever                  | Pawl Lever                  | Self Actuating             | Self Actuating         | Self Actuating         | Self Actuating         | Self Actuating    | Self Actuating           | Self Actuating           | Self Actuating           | Self Actuating    | Self Actuating      | Self Actuating  | Self Actuating  | Self Actuating  |
| UNIT WEIGHT                                | 6.5kg                       | 6.9kg                       | 7.3kg                       | 26.0kg                     | 5.56kg                 | 5.56kg                 | 5.56kg                 | 4.58kg            | 6.09kg                   | 6.09kg                   | 6.09kg                   | 4.90kg            | 10.5kg              | 22.8kg          | 24.0kg          | 30.0kg          |
| TOTAL DIMENSIONS (W X H X D)               | 304 x 244.7 x 234.5         | 304 x 244.7 x 234.5         | 304 x 244.7 x 234.5         | 413 x 267 x 234            | 265 x 254 x 190.5      | 265 x 254 x 190.5      | 265 x 254 x 190.5      | 265 x 254 x 190.5 | 265 x 254 x 190.5        | 265 x 254 x 190.5        | 265 x 254 x 190.5        | 265 x 254 x 190.5 | 265 x 265.5 x 251.5 | 413 x 267 x 234 | 413 x 267 x 234 | 572 x 450 x 280 |
| BARCODE NUMBER                             | 9337451000763               | 9337451000084               | 9337451000336               | 9337451004075              | 9337451000299          | 9337451003672          | 9337451003757          | 9337451000343     | 9337451000305            | 9337451003696            | 9337451003764            | 9337451003350     | 933745103771        | 9337451000312   | 9337451000329   | 9337451000770   |



**Atlantic Products are 100% Australian owned  
and operate from their corporate headquarters  
based in Adelaide, South Australia.**

Stocked by leading distributors around Australia  
and overseas, Atlantic Products manufactures  
and distributes a range of winches, wheels and  
trailer accessories for the marine, agricultural,  
mining and construction industries.

Due to their rapid expansion, Atlantic Products  
has positioned warehouse facilities in all key  
cities of Australia; plus Shanghai and Hong Kong  
for faster lead times to key markets in Europe,  
Africa and the USA.



**FOR ALL SALES & ENQUIRIES:**

Free call 1300 214 049

Email [info@atlanticproducts.com.au](mailto:info@atlanticproducts.com.au)

[www.atlanticproducts.com.au](http://www.atlanticproducts.com.au)

Please note all information contained in this document is correct at time of printing.  
Atlantic Products reserves the right to modify any information without prior notice.

© 2022 Atlantic Products Pty Ltd.

Atlantic Products are industry members with:

